



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (7505P)
1200 Pennsylvania Ave., N.W.
Washington, D.C. 20460

EPA Reg. Number:

53883-360

Date of Issuance:

9/20/17

NOTICE OF PESTICIDE:

☒ Registration
☐ Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited
Expires: 9/20/19

Name of Pesticide Product:

FLEE FOR DOGS

Name and Address of Registrant (include ZIP Code):

Leanna Bosarge
Director, Regulatory Affairs
Control Solutions, Inc.
5903 Genoa Red Bluff
Pasadena, TX 77507-1041

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Elizabeth Fertich, Acting Product Manager 03
Invertebrate & Vertebrate Branch 1
Registration Division (7505P)

Date:

9/20/17

EPA Form 8570-6

2. The Agency has found your company to be in compliance with the terms and conditions for the subject product, and is extending the two-year registration restriction. This registration is time-limited and expires 9/20/19.
3. Please note that the product is still subject to all other previously required conditions of registration. Your company is required to adhere to the spot-on label mitigation, and to submit quarterly enhanced incident reports and quarterly sales information as stated in the initial registration notice dated 7/24/15.
4. You are required to comply with the data requirements described in the DCI Order identified below:
 - a. Fipronil GDCI-129121-1305
 - b. Fipronil GDCI-129121-1512

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: <http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 10/31/2014

If you have any questions, you may contact Julie Breeden-Alemi, DVM at 703-347-0511 or via email at Breeden-Alemi.Julie@epa.gov.

Enclosure

Control Solutions, Inc. Master Label

Information in [] is optional.

EPA No. 53883-360

[Optional text appears in brackets – the final product label may include some or all of the optional text on front, back, side or folded label panels.] Information in italics and/or in braces { } is included for the reviewer only.

Primary brand name: FLEE™ for Dogs (*On market label “Dogs” will be 75% the size of the largest letter in the primary brand name*)

Alternate brand names:

Sublabel 1: FLEE™ Multi-Dosage for Dogs (*On market label “Dogs” will be 75% the size of the largest letter in the primary brand name*)

Sublabel 2: FLEE™ Spot-On for Dogs (*On market label “Dogs” will be 75% the size of the largest letter in the primary brand name*)

Sublabel 1: FLEE™ Multi-Dosage for Dogs for Use Only by Licensed Veterinarians (*On market label “Dogs” will be 75% the size of the largest letter in the primary brand name*)

Sublabel 2: FLEE™ Spot-On for Dogs (*On market label “Dogs” will be 75% the size of the largest letter in the primary brand name*)

Sublabel 1: FLEE™ Multi-Dosage for Dogs
{Front Panel of Carton}

Flee Multi-Dosage for Dogs

{“Dogs” must be 75% the height of the largest letter in the brand name}

**FOR USE ONLY BY LICENSED VETERINARIANS ON DOGS IN THEIR
CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION**

For use in veterinarian clinics, animal shelters, grooming facilities and boarding kennels.
Keep product in its original container. Keep bottle with the original carton at all times. Do
not repack. Do not use bottle and applicator with any other product.

{One of the following statements will appear on the front panel}.

Use ONLY on dogs [&] [and] puppies 5 to 132 lbs., over 8 weeks old OR ONLY For Dogs & Puppies, older than 8 weeks [&] [and] 5 to 132 lbs.
--

{insert large clear picture of dog in the weight range – on front panel}

*{There will be a 1.5 x 1.5 cm cat prohibition icon in a box located in the lower right hand corner
of the front panel in yellow with black images.}*



ACTIVE INGREDIENT:

Fipronil..... 9.70%

OTHER INGREDIENTS:..... 90.30%

TOTAL **100.00%**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See BackPanel for First Aid and Additional Precautionary Statements

Net Contents: 0.68 fl oz (20.11 ml)

{Back Panel of Carton}

FIRST AID	
If swallowed:	<ul style="list-style-type: none">• Call a poison control center or a doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If in eyes:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also want to contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
**FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR
CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION. DO NOT ALLOW**

CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND THE DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.


USE RESTRICTIONS

Do not use on rabbits or animals other than dogs. Do not allow the dog to ingest this product. Do not use on puppies under 8 weeks of age. Weigh dog to be sure you are applying the right dose formulated for the weight of the dog. Do not apply more than once every [4 weeks] [30 days]. Do not apply more than the specified amount of product to the dog regardless of the dog's weight. Instruct the dog owner to separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Do not bathe or allow the dog to swim for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

{A box labeled "Side Effects" will be located in the lower right corner of the back panel immediately above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise dog owner to consult with veterinarian or SafetyCall at 1-866-897-8050.

{There will be a 1.5 x 1.5 cm cat prohibition icon and warning text in a box located in the lower right hand corner of the back panel in yellow with black images.}

 DO NOT USE ON CATS	DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.
---	--

For use only by licensed veterinarians on dogs in their control or under their immediate supervision

See inner panel of [back] [front] flap for Additional Directions for use.

{Inner panel of back or front carton flap}

[[**Brand Name**] for dogs delivers [effective] protection against fleas, ticks, [and chewing lice]. [This product aids in the control of sarcoptic mange mites.] [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Stops existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days].]

Apply as a [spot] [stripe] to your dog to kill fleas, ticks [mosquitoes] and chewing lice.


How to Apply

Accurately weigh the dog or puppy. Use the dog or puppy weight to determine the correct application rate, using the following chart.

Application Rate*		
Only for dogs weighing	Apply	Number of Applicator Tip Pumps/Squeezes
5 [-][to] 22 lbs.	0.67 ml	1
23 [-][to] 44 lbs.	1.34 ml	2
45 [-][to] 88 lbs.	2.68 ml	4
89 [-][to] 132 lbs.	4.02 ml	6

*Do not apply to dogs weighing less than 5 lbs. or less than 8 weeks of age. Do not apply more than the specified amount of product to the dog regardless of the dog's weight.

APPLICATOR TIP PICTURE



HOW TO APPLY:

1. Twist the applicator cap to break the seal and remove. [This seal is broken only upon first use.] retain cap as it is used to re-seal the applicator after applying product dose[s].
2. Holding neck of device vertically, twist the applicator nozzle, as unlock arrows indicate, you will hear a click.
3. Invert the bottle with the device over the dog's back.
4. Part the dog's hair, so that the product can be applied directly to the skin.
5. Apply as a spot to the [back] [base] of the dog's neck, above the shoulder blades [start at the shoulder and apply towards the tail].
6. First Application: Pump the applicator once [all the way until it stops expelling the product][all the way down to get the full dose].
7. Multiple Applications: Repeat steps 3 - 6 for each pump (see table above for number of pumps). Do not apply more product than what is listed for your dog's weight.

8. Replace the cap on the applicator and lock the device by following the lock arrows [by twisting the top of the applicator after application].
9. Keep out of reach of children.

Do not apply more frequently than once every 4 weeks.

Applicator pump works only when applicator tip is pointing down. Do not [activate pump][squeeze pump] while applicator tip is pointing up. Applicator will not deliver a full dose if applicator tip is pointing up while [squeezing pump][applying][activating pump].

FREQUENCY OF APPLICATION

[**Brand Name**] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [**Brand Name**] for 30 days [4 weeks] [1 month]

{Storage and Disposal box may appear on the back panel, inner panel flap (front or back) or side panel as space allows.}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep product in its original container. Do not repackage. Store in a cool (below 77°F [/[25°C]]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential

damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]

[Non-Emergency, call XXX-XXX-XXXX]
[Formulated in the USA]

Control Solutions, Inc.
5903 Genoa-Red Bluff Road
Pasadena, TX 77507

EPA Reg. No. 53883-360
EPA Est. No. XXXX-XXX-XXX

[BAR CODE AREA]
Lot code

{START – METERED DOSING APPLICATOR/BOTTLE LABEL}

{Front Label}	{Back Label}
Flee Multi-Dosage for Dogs Fipronil 9.7% 0.68 fl oz [(20.10 ml)] EPA REG. No. 53883-360 Use ONLY on dogs [&] [and] puppies 5 to 132 lbs., over 8 weeks old OR ONLY For Dogs & Puppies, older than 8 weeks [&] [and] 5 to 132 lbs.	KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before each use. For External Use Only – Application to Skin

{The lot code will be printed on the bottle or bottle label in addition to the carton.}

{END – METERED DOSING APPLICATOR/BOTTLE LABEL}

Optional marketing claims

[Use in animal shelters, under direct supervision of a veterinarian]
[Multi-dose dispenser with metering applicator]
[Convenient multi-dose dispenser with metering applicator for in clinic use]
[Convenient multi-dose dispenser for animal facility use]
[Accurate dosing for use on dogs]
[Convenient dosing for use on dogs]
[Weigh dog to determine appropriate dose]
[For use only by licensed veterinarians] [and use on dogs under control or immediate supervision of a licensed veterinarian]]
[Weigh dog and determine appropriate application rate using chart]

[Bottle and Applicator is specifically calibrated for this Product only.]
[Applicator is calibrated to accurately apply the specified rate for dogs]
[Refer to Application Rate Table to determine the number of pumps][squeezes][pump/squeezes]]
[Refer to Application Rate Table to determine the number of [pumps][squeezes][pump/squeezes] for each weight category]
[Product comes with cap and applicator.]

[Please refer to full label for additional information.]
[As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction.]

[Chewing Lice Claims]

[Kills] [chewing lice] [lice] [rapidly] [infestations]

[Mite Claims]

[Controls] [Aids in the control] [of] [sarcoptic mange infestations]

[Flea Claims]

[Kill Fleas]
[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]
[Kills newly emerged adult fleas before they lay eggs]
[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]
[Puts a stop to existing [flea] infestations] [and] [prevents new infestations]]
[Monthly application may be needed for dogs with high risk for flea reinfestation]

[Tick Claims]

[Kills ticks] [,] [including those transmitting Lyme disease]
[Kills [all stages of] ticks [up to [4 weeks] [1 month] [30 days]]
[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)] [,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [,Rocky Mountain spotted fever] [,ehrlichiosis] [,babesiosis] [,anaplasmosis] [and] [other tick-borne diseases]]

[Multiple Pest Claims]

[Kills chewing lice [,] [ticks] [and] [aids in control of sarcoptic mange mites]]
[Tick [and] flea control for dogs [,including puppies over 8 weeks]]
[Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]
[Once a month protection from fleas, ticks, mosquitos and chewing lice
[Once a month flea, tick, mosquito and chewing lice [application] [treatment]
[Effectively kills ticks, [fleas] and chewing lice [,including control of sarcoptic mange mites]]
[[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]
[[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]
[Use [**Brand Name**] monthly to kill ticks and chewing lice]
[Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Other Pest Claims]

[Use on Dogs and Puppies 8 weeks of age or older and[insert appropriate weight range]]
[Apply] [to] puppies over 8 weeks of age and [insert appropriate weight range]]
[Formulated for Dogs and Puppies 8 weeks of age or older and [insert appropriate weight range]]
[For Dogs [weighing 5 to 132 lbs.] and over 8 weeks of age]
[Convenient applicator] [Convenient spot-on product] [Easy to Use]
[Apply monthly]
[Apply once every [4 weeks] [month] [30 days]!]
[Waterproof]
[Fast-acting]
[Long-lasting]
[Effective after bathing [and] [exposure to water and sunlight]]

[Optional graphics below may or may not appear anywhere on finished label]

	Adult Flea	
	Fleas	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Lone Star Tick	
	Chewing Lice	
	Mite	

Sublabel 2: **FLEET™ Spot-On for Dogs**
{Front panel of carton}

FLEET™ Spot-On for Dogs

{On market label “Dogs” will be 75% the size of the largest letter in the primary brand name}

One of the following statements will appear on the front panel.

Use ONLY on dogs [&] [and] puppies 5 to 132 lbs., over 8 weeks old <i>OR</i> ONLY For Dogs & Puppies, older than 8 weeks [&] [and] 5 to 132 lbs.

{insert large, clear picture of dog in the weight range on front panel}

ACTIVE INGREDIENT:

Fipronil..... 9.70%

OTHER INGREDIENTS:..... 90.30%

TOTAL **100.00%**

KEEP OUT OF REACH OF CHILDREN

CAUTION

See BackPanel for First Aid and Additional Precautionary Statements

Open [flap][carton][flap and carton] for additional Directions for Use.

{There will be a 1.5 x 1.5 cm cat prohibition icon in a box located in the lower right hand corner of the front panel in yellow with black images.}



Net Contents: [3-pack; 0.051 fl oz (1.5 ml); 3 applicators containing 0.017 fl. oz. each; 3 doses]

{Back Panel of Carton}

FIRST AID	
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If on skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison center or doctor for treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also want to contact SafetyCall at 1-866-897-8050 for emergency medical treatment information.	

**READ ENTIRE LABEL BEFORE EACH USE.
USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.**

[[**Brand Name**] for dogs delivers [effective] protection against fleas, ticks, [and chewing lice]. [This product aids in the control of sarcoptic mange mites.] [Brand Name kills] [Kills] deer ticks, brown dog ticks, American dog ticks, and lone star ticks, including those transmitting Lyme disease, Rocky Mountain spotted fever, ehrlichiosis, babesiosis, anaplasmosis and other tick-borne diseases. Stops existing flea infestation and reinfestation for [[4] [four] weeks] [[1] [one] month] [30 days].]
Apply as a [spot] [stripe] to your dog to kill fleas, ticks [mosquitoes] and chewing lice.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS.

For external use on dogs only. Individual sensitivities, while rare, may occur after using any pesticide product on dogs. Certain medications can interact with pesticides. Do not treat a dog with more than one pesticide product at a time. Over dosing a dog can result in serious illness and even death. As with any product, use caution before using on medicated, debilitated, aged, pregnant, nursing dogs or dogs with known organ dysfunction. If the dog is exhibiting signs of and/or is being treated for skin dermatitis, use caution before applying any topical flea and tick control product.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **FOR USE ONLY BY LICENSED VETERINARIANS ON ANIMALS IN THEIR CONTROL OR UNDER THEIR IMMEDIATE SUPERVISION. DO NOT ALLOW CHILDREN TO APPLY PRODUCT. TO PREVENT HARM TO YOU AND THE DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY.**

USE RESTRICTIONS

Do not use on rabbits or animals other than dogs. Do not allow the dog to ingest this product. Do not use on puppies under 8 weeks of age. Do not use on dogs or puppies weighing less than [5][23][45][89] lbs.. Do not apply more than once every [4 weeks] [30 days]. Do not apply more than one applicator per treatment for one dog regardless of the dog's weight. Separate the treated dog from all other dogs and cats for 24 hours after treatment has been applied. Do not bathe or allow the dog to swim for 24 hours after application. The dog needs to be dry at the time of application and remain dry for 24 hours after application.

[Open flap] [See inside carton] for [directions on How to Use] [Additional Directions for Use] *{This statement will be used based upon the design of the actual carton.}*

{A box labeled "Side Effects" will be located in the lower right corner of the back panel immediately above the cat warning box.}

Side Effects: Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur, advise dog owner to consult with veterinarian or SafetyCall at 1-866-897-8050.

{There will be a 1.5 x 1.5 cm cat prohibition icon and warning text in a box located in the lower right hand corner of the back panel in yellow with black images.}



DO NOT USE ON CATS. Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian.


{Inner Panels of Back or Front carton flap/Inner Carton}

How to Use:

{Package is equivalent to unit}

REMOVE AND OPEN PACKAGE

- 1.** Cut along scissor cut line to separate unit



- 2.** Turn unit over and cut corner at bulb end



- 3.** From cut corner, peel backing completely off from bottom to top



- 4.** Remove the applicator



OPEN APPLICATOR

Hold upright with foil side away from you and snap applicator tip back to open.

[Remove applicator[s] from packaging. Using one applicator, hold with the narrow end pointing up. [Snap the outline of the tip back to allow access to the [dotted tip] [applicator]]. [Snap [Cut] the applicator tip [backwards] [across the marked line] [to allow access to the] [dotted tip][notches][applicator]]. [Holding applicator away from your and your dog's eyes.] [[Snap][Cut] the applicator tip [at notched line] to open.] Invert applicator over dog and use open end to part dog's hair.]

[Apply [this product] at a spot between the dog's shoulder blades. Part the hair and place the open end of the applicator just above the skin. Squeeze the entire contents of the applicator and direct the solution in one spot and onto the dog's skin. Allow the area to dry. Use only one applicator per treatment.]

Do not apply more frequently than once every 4 weeks.

[Optional pictogram]



FREQUENCY OF APPLICATION

[**Brand Name**] [This product] should be applied once every [30 days] [4 weeks] [month]. Treatment remains effective, even after bathing, water immersion, or exposure to sunlight. Do not reapply [**Brand Name**] for 30 days [4 weeks] [1 month].

{Storage and Disposal box may appear on the back panel, inner panel flap (front of back) or side panel as space allows.}

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Keep product in its original container. Do not repackage. Store in a cool (below 77°F [25°C]) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

PESTICIDE DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available.

[Optional recycling graphic]

LIMITATION OF WARRANTY AND LIABILITY

Read the entire direction for use, conditions of warranties and limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following **CONDITIONS, DISCLAIMER OF WARRANTIES, and LIMITATIONS OF LIABILITY.**

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risk associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as presence of other materials, or the manner of use or application, all of which are beyond the control of Control Solutions, Inc. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, Control Solutions, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond the statements made on this label. No agent of Control Solutions, Inc. is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent consistent with applicable law, Control Solutions, Inc. disclaims any liability whatsoever for special, incidental or consequential damages resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.]

[If you have questions or comments about this product, please write: CSI Consumer Response, 5903 Genoa-Red Bluff Road, Pasadena, TX 77507]

[In Case of Emergency, call: XXX-XXX-XXXX]
[Non-Emergency, call XXX-XXX-XXXX]
[Formulated in the USA]
Control Solutions, Inc.
5903 Genoa-Red Bluff Road
Pasadena, TX 77507

EPA Reg. No. 53883-360
EPA Est. No. XXXX-XXX-XXX

[BAR CODE AREA]
Lot code

{START – BLISTER LABEL/APPLICATOR LABEL}

FLEET TM Spot-On for Dogs Fipronil 9.7% 0.017 fl oz [(0.5 ml)] EPA REG. No. 53883-360 Use ONLY on dogs [&] [and] puppies [5-22][23-44][45-88][89-132] lbs., over 8 weeks old <i>OR</i> ONLY For Dogs & Puppies, older than 8 weeks [&] [and] [5-22][23-44][45-88][89-132] lbs.	KEEP OUT OF REACH OF CHILDREN CAUTION: Read entire label before each use.
---	--

{The lot code will be printed on or molded into the applicators.}

{END – BLISTER LABEL/APPLICATOR LABEL}

Optional Marketing Claims

[Convenient dosing for use on dogs]

[Chewing Lice Claims]

[Kills] [chewing lice] [lice] [rapidly] [infestations]

[Flea Claims]

[Kill Fleas]

[Kills [adult] fleas [for] [up to] [4 weeks] [90 days] [three months] [3 months] [1 month]]

[Kills newly emerged adult fleas before they lay eggs]

[Kills [adult] [fleas] [causing] [responsible for] [flea allergy dermatitis] [and] [flea bite anemia]]

[Puts a stop to existing [flea] infestations] [and] [prevents new infestations]]

[Monthly application may be needed for dogs with high risk for flea reinfestation]

[Tick Claims]

[Kills ticks] [,] [including those transmitting Lyme disease]

[Kills [all stages of] ticks [up to] [4 weeks] [1 month] [30 days]]

[Kills [brown dog ticks] [(*Rhipicephalus sanguineus*)] [,] [American dog ticks] [(*Dermacentor variabilis*)]

[,] [lone star ticks] [,] [and] [deer ticks] [including ticks that may cause] [Lyme disease] [, Rocky Mountain spotted fever] [, ehrlichiosis] [, babesiosis] [, anaplasmosis] [and] [other tick-borne diseases]]


























[Multiple Pest Claims]

[Kills chewing lice and ticks]
 [Tick and flea control for dogs [, including puppies over 8 weeks and [insert appropriate weight range]]]
 [Kills fleas, [&] [and] ticks, [&] [and] [chewing] [lice] [monthly]]
 [Once a month protection from fleas, ticks, and chewing lice]
 [Once a month flea, tick, and chewing lice [application] [treatment]]
 [Effectively kills ticks, [fleas] and chewing lice]
 [[4 Week] [1 month] [30 day] [Flea and Tick Treatment]]
 [[Four (4) Week] [1 Month] [Flea, Tick, and Chewing [Lice Control] [Treatment] [Application]]]
 [Use [**Brand Name**] monthly to [kill] ticks and chewing lice]
 [Kills Fleas, [and] [&] Ticks for up to [4 weeks] [1 month] [30 days]!]

[Other Pest Claims]

[Use on Dogs and puppies 8 weeks of age or older and [insert appropriate age range]]
 [Apply] [to] puppies over 8 weeks of age and [insert appropriate age range]]
 [Formulated for Dogs and puppies 8 weeks of age or older and [insert appropriate age range]]
 [Convenient [applicator] [spot-on product]]
 [Easy to Use]
 [Apply monthly]
 [Apply once every [4 weeks] [month] [30 days]!]
 [Waterproof]
 [Fast-acting]
 [Long-lasting]
 [Effective after bathing [and] [exposure to water and sunlight]]
 [As with any product, use caution before using this product on debilitated, aged, pregnant or nursing dogs]

{Optional graphics below may or may not appear anywhere on finished label}

	Adult Flea	
	Fleas	
	Flea eggs	
	Flea Larvae	
	Flea Pupae	
	Ticks	
	Brown Dog Tick	
	Deer Tick	
	American Dog Tick	
	Chewing Lice	
	Lone Star Tick	
	Mosquitoes	
	Mite	